



*December, 1916*

BOTANICAL SERIES.

VOL. VIII, No. 6.

MEMOIRS OF THE  
DEPARTMENT OF AGRICULTURE  
IN INDIA

*PHYTOPHTHORA ON VINCA ROSEA*

BY

JEHANGIR FARDUNJI DASTUR, B. Sc

*First Assistant to the Imperial Mycologist*



AGRICULTURAL RESEARCH INSTITUTE, PUSA

PRINTED AND PUBLISHED FOR

*THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA*

BY

THACKER SPINK & CO., CALCUTTA

W. THACKER & CO., 2, CREED LANE, LONDON

## Agents for the Sale of Government Publications.

### IN THE UNITED KINGDOM.

Constable & Co., 10, Orange Street, Leicester Square, London, W.C.	T. Fisher Unwin, Ltd., 1, Adelphi Terrace, London, W.C.
Kegan Paul, Trench Trübner & Co., 68-74, Carter Lane, E.C., and 25, Museum Street, London, W.C.	W. Thacker & Co., 2, Creed Lane, London, E.C.
Bernard Quaritch, 11, Grafton Street, New Bond Street, London, W.	Luzac & Co., 46, Great Russell Street, London, W.C.
P. S. King & Sons, 2 and 4, Great Smith Street, Westminster, London, S.W.	B. H. Blackwell, 50 and 51, Broad Street, Oxford.
H. S. King & Co., 65, Cornhill, E.C., and 9, Pall Mall, London, W.	Deighton, Bell & Co., Ltd., Cambridge.
Grindlay & Co., 54, Parliament Street, London, S.W.	Oliver & Boyd, Tweeddale Court, Edinburgh.
	E. Ponsoby Ltd., 116, Grafton Street, Dublin.

### ON THE CONTINENT.

Ernest Leroux, 28, Rue Bonaparte, Paris.	Martinus Nijhoff, The Hague, Holland.
--	---------------------------------------

### IN INDIA AND CEYLON.

<b>Thacker, Spink &amp; Co.,</b> Calcutta and Simla.	P. R. Rama Iyer & Co., Madras.
W. Newman & Co., Calcutta.	Thacker & Co., Ltd., Bombay.
R. Cambray & Co., Calcutta.	A. J. Combridge & Co., Bombay.
S. K. Lahiri & Co., Calcutta.	D. B. Taraporevala, Sons & Co., Bombay.
B. Banerjee & Co., Calcutta.	Mrs. Radhabai Atmaram Sagoon, Bombay.
The Indian School Supply Depot, 309, Bow Bazar Street, Calcutta, and 226, Nawabpur, Dacca.	Sunder Pandurang, Bombay.
Butterworth & Co. (India), Limited, Calcutta.	Gopal Narayan & Co., Bombay.
The Weldon Library, 18-5, Chowringhee Road, Calcutta.	Ramchandra Govind & Son, Kalbadevi, Bombay.
Rai M. C. Sircar Bahadur and Sons, 75-1-1, Harrison Road, Calcutta.	N. B. Mathur, Superintendent, Nazir Kanun-i-Hind Press, Allahabad.
Higginbothams, Ltd., Madras.	A. Chand & Co., Lahore, Punjab.
V. Kalyanarama Iyer & Co., Madras.	Rai Sahib M. Gulab Singh & Sons, Mutid-i-Am Press, Lahore and Calcutta.
G. A. Natesan & Co., Madras.	Superintendent, American Baptist Mission Press, Rangoon.
S. Murthy & Co., Madras.	S. C. Talukdar, Proprietor, Students and Company, Cooch Behar.
Thompson & Co., Madras.	A. M. & J. Ferguson, Colombo, Ceylon.
Temple & Co., Madras.	

## PHYTOPHTHORA ON VINCA ROSEA.

BY

JEHANGIR FARDUNJI DASTUR, B. Sc.,

*First Assistant to the Imperial Mycologist.*

[Received for publication on the 19th July, 1916.]

AT Pusa (India) the latter part of May 1913 was wet, so also most of the month of June. During this period the weather remained cloudy, and the atmosphere was charged with a great deal of moisture. These were ideal conditions for parasitic fungi to flourish to the detriment of their host plants. One of the garden plants that suffered during this period, was *Vinca rosea* belonging to the *N. O. Apocynaceæ*.

Leaves, growing points, tender stems just below growing points, flowers and fruits were observed to damp off, to turn brown and then black. Microscopic examination showed the presence of a parasite of the genus *Phytophthora*. The disease was prevalent for about a fortnight only. It disappeared soon after the weather cleared up and bright sunshine once again flooded the gardens. Even when the weather was wet, if diseased plants were removed to a dry place, the disease made no headway and the plant dropped its diseased parts and brought forth new healthy shoots. The causal parasite has never been found to be of a virulent character. Healthy plants inoculated with pure cultures in the laboratory invariably gave negative results, except when the surrounding atmosphere was kept saturated with moisture, which condition was secured by covering the inoculated plants grown in pots with bell jars with an inner lining of blotting paper and keeping the pots in a basin of water. Under these conditions the effects of the inoculations were visible in about a couple of days by the inoculated parts, flowers, leaves, growing points, stem just underneath the growing point, and fruits, turning brown and then black as in nature. Mature stems could not be successfully inoculated even in such an atmosphere. Follicles, sterilized by washing in corrosive sublimate (1 in 1,000) for five minutes, and unsterilized follicles were placed in six sterilized tubes containing moist cotton plugs. Bits of agar medium containing living mycelium from a healthy culture were used in inoculating these follicles.

Similarly sterilized follicles were placed in water in watch glasses, and were kept in moist chambers under aseptic conditions. These follicles were inoculated by zoospores from the same culture. Those in the tubes did not take the inoculation, even though in many cases aerial mycelium was found growing from the bits of agar medium used for inoculating the follicles; while those left in water showed signs of successful inoculations in twenty-four hours by the rotting that had set in; an aerial growth of mycelium soon followed. These inoculation experiments sufficiently show the weak parasitism of the fungus on *Vinca rosea*. Perhaps this is the only strain as yet isolated from any species of *Phytophthora* having such a weak parasitism.

On diseased leaves, sporangia were formed on both the surfaces, borne on short or long sporangiophores (from 3·4 to over 375 $\mu$  in length) and emerging as a rule singly through stomata; in rare cases, sporangiophores have been found to be branched; two or three emerging together from a single stoma have also been observed. The sporangiophore, in a few cases, has been found to make its way out by rupturing a guard cell. Sporangia are sometimes borne on such short stalks that they almost seem to be sessile. From petioles and stems sporangiophores emerge singly or in clusters through any part of the epidermis as in *Ph. parasitica* Dast.<sup>1</sup> Sporangia are generally pear-shaped, but often irregular ones have been found. The mycelium within the tissues is both inter and intra-cellular. Haustoria have not been observed.

This *Phytophthora* was easily taken in pure culture. Diseased leaves and follicles, washed with corrosive sublimate (1 in 1,000) for five minutes and then with sterilized water, were incubated and gave, after a few days, a woolly growth. From this pure cultures were obtained by inoculating tubes of Quaker-Oat agar; this medium was prepared as recommended by Pethybridge and Murphy.<sup>2</sup> Also seeds removed aseptically from diseased follicles similarly sterilized on the surface, were introduced in tubes containing nutrient agar and subsequently gave pure cultures of the fungus.

The growth of this fungus on artificial media is very similar to that of *Ph. parasitica*<sup>1</sup> on castor, and also the vegetative, asexual and sexual reproductive organs; therefore a detailed description is not needed.

<sup>1</sup> Dastur, J. F., on *Phytophthora parasitica* nov. spec. *Mem. Dept. Agric. India, Bot. Ser.*, V, No. 4, 1913.

<sup>2</sup> Pethybridge, G. H. and Murphy, P. A., On Pure Cultures of *Ph. infestans* de Bary, and the Development of Oospores. *Sc. Proc. Roy. Dub. Soc.*, XIII (N.S.), No. 36, 1913.

The thickening, commonly found on septa of *Ph. Colocasiae* Rac.<sup>1</sup> and *Ph. parasitica* Dast. is usually wanting. Very often branches have been found arising through septa, growing for some distance within the empty cells outside the septa and then coming out by perforating the wall as in *Ph. parasitica* and *Fusarium tuberivorum* Wilcox and Link<sup>2</sup> (Fig. 2). Such branches have been observed to form sporangia outside the parent hypha.

Sporangia and zoospores agree in measurements with those of the castor fungus. The formation of secondary sporangia in the *Vinca* fungus is common. They are either stalked or sessile. Sessile secondary sporangia have always been found to arise from the papilla, but stalked ones arise not necessarily from this place.

Zoospores sown in water, after coming to rest, germinate in less than half an hour by giving out one or as many as four germ-tubes. The fungus upon castor has not hitherto been observed to give more than two germ-tubes. The germ-tube either grows into a thin hypha, branched or unbranched, or becomes swollen. The germinating zoospore, in the course of six to twenty-four hours, commonly bears a sporangium at the end of its germ-tube (Fig. 1). This mode of germination has been observed by Raciborski<sup>3</sup> in *Phytophthora Colocasiae* and by me in *Ph. parasitica* on castor. The sporangia borne on germ-tubes are pear-shaped and measure  $13-20 \times 10-15\mu$ . They germinate either by discharging their zoospores, which are from 2 to 6 in number and as big as those produced by sporangia from nutrient media, or by giving rise to germ-tubes or to secondary sporangia.

Resting conidia resemble those of *Ph. parasitica* in all respects, except in size; the former are smaller, measuring  $10-42\mu$  in diameter.

According to Klebs,<sup>4</sup> *Oedogonium* can be readily induced to form antheridia by regulating light, amount of water and the nutrient quality of the medium used. It has not been found possible to induce the development of sexual organs of this fungus by any systematic method, for it is exceedingly difficult to determine the predisposing factors. Oospores were found first in one of the six French bean juice agar tubes and a fortnight later in another, all of which had been inoculated the same day with mycelium from a culture growing on Quaker-Oat agar. These six French bean juice agar tubes belonged

<sup>1</sup> Butler, E. J. and Kulkarni, G. S. Studies in *Peronosporaceae*. *Mem. Dept. Agric. India, Bot. Ser.* V, No. 5, 1913.

<sup>2</sup> Wilcox, E. M., Link, G. K. and Pool, V. W. A dry rot of the Irish Potato tuber. *Nebraska Agr. Expt. Sta. Res. Bull.* No. 1, 1913.

<sup>3</sup> Raciborski, M. *Parasitische Algen und Pilze Java's* I, 1900.

<sup>4</sup> Klebs, G. *Die Bedingungen der Fortpflanzung bei einigen Algen und Pilzen*, 1896.

to the same batch. Evidently therefore there can hardly be any difference in the composition of their contents. Before they were inoculated they had




Fig. 1. Zoospores germinating and producing sporangia and secondary sporangia  $\times 305$ .

Fig. 2. Branches arising through septa.

(a) shows the formation of a sporangium on such a branch  $\times 305$ .

Fig. 3. Double antheridium  $\times 557$ .

Fig. 4. Branched antheridium  $\times 557$ .

Fig. 5. An oospore, the oogonium and antheridium of which arise from the same parent hypha.

The oogonium and antheridium are lateral in origin  $\times 557$ .

Fig. 6. An oospore, the oogonial stalk arises laterally from the antheridial stalk  $\times 557$ .

Fig. 7. An oogonium originating from within an antheridium  $\times 557$ .

Fig. 8. An oogonium piercing an antheridium on its way out at several points  $\times 557$ .

Fig. 9. An oogonium bifurcating within an antheridium  $\times 557$ .

Fig. 10. An oogonium germinating vegetatively  $\times 557$ .

Figs. 11-14. Germinating oospores  $\times 557$ .

In Figs. 11, 13 and 14 the oospore wall has completely dissolved.

In Fig. 12 the oospore wall is partly dissolved and what is left of it is wavy in outline.

been placed in the same basket and after inoculation they were all in the same jar exposed to light. It is therefore difficult to understand why only two of these cultures formed oospores while the remaining four developed only sporangia and resting conidia. Subcultures were made on French bean juice agar, Oat juice agar, Quaker-Oat agar and Wheat juice agar from these cultures bearing oospores. Of these subcultures only one on Oat juice agar developed oospores and although over a couple of dozen cultures were made on Quaker-Oat agar from different sources still only one tube of this medium gave oospores. Many cultures on Oat juice agar produced oospores but their development had no relation to the parent cultures. Tubes inoculated with cultures producing oospores did not necessarily bear the sexual organs while transfers made from cultures on the same medium and from French bean juice agar cultures not bearing oospores occasionally produced them. Thus it is not easy to say what factor or factors stimulate the development of oospores. This discontinuous production of oospores differs from the result got by Pethybridge and Murphy<sup>1</sup> with *Ph. infestans* (Mont.) de Bary, where a culture once having commenced to form oospores, continues to do so without break in the subsequent transfers.

The development of oospores follows the method found almost simultaneously in five species of this genus, viz., *Ph. erythroseptica* Pethyb., *Ph. infestans* (Mont.) de Bary, *Ph. Phaseoli* Thaxt., *Ph. parasitica* Dast. and *Ph. Colocasiae* Rac. Antheridia and oogonia are always produced embedded in the nutrient medium, and are as a rule borne on separate hyphæ, but in a few cases they have been found to be borne on a common stalk (Fig. 6).

The antheridium of the *Phytophthora* upon *Vinca* is identical with that of the castor parasite; in certain cases branched and double antheridia (Figs. 4 and 3) were observed in the fungus upon *Vinca*.

Whenever it has been possible to trace clearly the oogonial stalk for some distance it has been found that, like the antheridial stalk, it has a lateral origin (Fig. 5). In a few cases the oogonium has been observed to be intercalar, so also the antheridium. The oogonium has also been found to arise from within the antheridium as in *Ph. parasitica* (Fig. 7). The tentative oogonial incept is at first thin-walled and is distinguishable from the vegetative branches of the hyphæ by its having dense and coarsely granular protoplasm; when it comes in contact with an antheridium its apex as a rule swells before piercing the antheridial wall. It generally enters the antheridium somewhere at or near the base, as in the other species belonging to the "*infestans*-group."

<sup>1</sup> Pethybridge, G. H., and Murphy, P. A. *loc. cit.*



The swollen or knob-like portion of the oogonial incept that is outside the antheridial incept may give out a sterile projection like the antheridium. In a few cases two oogonial incepts have been found to penetrate the same antheridium at two different points, but these oogonial incepts have never been found to mature; they were never observed to break through the antheridium. It is quite possible for more than one oogonium to be attracted towards a single antheridium and to make their way within it; but it is a question whether the antheridium would be able to fertilize more than one oogonium. The oogonial incept within the antheridium is club-shaped, grows within it and eventually bursts through it at some point. In an exceptional case the oogonial incept within the antheridium had made attempts to break through at four places by means of four projections three of which had succeeded in boring their way out (Fig. 8). In another case the oogonial incept within the antheridium bifurcated before leaving it and two branches made their way out by piercing the antheridial wall at two different points (Fig. 9). It seems improbable that these oogonia would have matured and produced oospores. After leaving the antheridium, the oogonial incept swells out into a globose body, the oogonium proper. The course of development of the oospore could not be observed. For the asexually formed sporangia to revert to the vegetative condition is common and cases have also been known in some species of *Pythium*, where the oogonium had also reverted to the vegetative condition. Thus Wahrlich<sup>1</sup> has observed oogonia, which, on being not fertilized, continue their growth vegetatively. Ward<sup>2</sup> has also made like observations. A similar case has been found in the fungus under study (Fig. 10). An oogonium in Oat juice agar, after making its way out from within the antheridium, had grown to its full size but the wall was still unthickened and uncoloured; it was almost empty of its protoplasmic contents, except the thin layer that lined the inside of the oogonial wall and the little mass that was at the base of the oogonium. Within the antheridium a lateral branch had grown out piercing the antheridial wall. Outside the antheridium it became septate and the portion beyond the septum had protoplasmic contents finely granulated and was thin-walled, like an ordinary hypha, while that below the septum was empty and slightly thicker, as thick as the oogonium from which it had arisen; it also contained a small cellulose ingrowth. The oogonium on failing to form an oospore had thus germinated vegetatively. The colour, thickness, and size of the oogonial wall is influenced by the medium

<sup>1</sup> Wahrlich, W. *Pythium* n. sp. *Ber. Deutsch. Bot. Ges.*, V, 1887.

<sup>2</sup> Ward, H. M. Observations on the genus *Pythium*. *Quart. Journ. Micros. Science*, XXIII (N. S.), 1883. 4

in which it is growing, as in *Phytophthora* on castor ; but very often on the same medium smooth and rough-walled oospores have been produced, the development of secondary thickening depending upon local conditions. In French bean juice agar the oogonium is very slightly yellow tinted, almost hyaline ; in Oat juice agar and Quaker-Oat agar it is honey-coloured ; in the latter medium of a lighter colour than in the former.

The size of the oospore, unlike that of the *Phytophthora* on castor, is also influenced by the medium in which it is grown. In French bean juice agar it varies from 14–18 $\mu$  in diameter, extreme measurements being 11 $\mu$  and 20 $\mu$  and the average of 97 measurements being 15.8 $\mu$  ; in Oat juice agar and in Quaker-Oat agar from 16–21 $\mu$  in diameter, extreme measurements being 15 $\mu$  and 23 $\mu$  and the average of 57 measurements being 18.4 $\mu$  ; the size of the oospores on these last two media closely agrees with that of oospores of the castor fungus. Generally the wall of the oospore is not very thick, but it seems that it is inversely proportional to the thickness of the surrounding oogonial wall. In French bean juice agar, it is slightly thicker than in Oat juice agar or Quaker-Oat agar. The oospore is hyaline in colour.

Attempts were made to germinate oospores in tap water and sterilized water taken from wayside pools but they failed, while a few of the many oospores from Oat juice agar sown in wet earth showed attempts at germination. It appears that the germination is preceded by the disappearance of the oil globule or globules and by the fine protoplasmic contents of the oospores turning coarser. The germination is accompanied by the complete or partial dissolution of the oospore wall (Figs. 11 to 14). When the oospore is just beginning to germinate its wall shows at times a zig-zag outline due to its unequal dissolution (Fig. 12), as observed by Pethybridge<sup>1</sup> in the germinating oospores of *Ph. erythroseptica* Pethyb. In one case the germ-tube had grown into a long branched hypha, the end of one of the branches being swollen as if it was going to form a sporangium (Fig. 14) ; but further growth did not take place as the hypha became empty of its contents. From the few cases observed it seems that the colour of the oogonium of the germinating oospore growing on Oat juice agar becomes lighter. Two oospores in an Oat juice agar tube were found to have produced short germ-tubes, one each. In both these cases the oospore wall had completely dissolved, and the oogonium was partly empty. In one a thin layer of protoplasm was lining the inside of the oogonial wall. No oil globules were found within the two germinating oospores and the contents were coarsely granular. As far as could be judged

<sup>1</sup> Pethybridge, G. H. Further observations on *Ph. erythroseptica* Pethyb. and on the disease produced by it in the potato plant. *Sc. Proc. Roy. Dub. Soc.*, XIV (N.S.), No. 10, 1914.

from the few oospores of the *Phytophthora* on *Vinca rosea*, that have been observed germinating, it appears that the mode of germination agrees, at least in essential points, with that of *Ph. erythroseptica* described minutely by Pethybridge.

On account of the peculiar mode of development of oospores, this fungus belongs to what Pethybridge<sup>1</sup> calls the "*infestans*-group." Of all the species of this group, the *Phytophthora* on *Vinca rosea* is most closely allied to *Ph. parasitica* Dast. on castor. Inoculation experiments were carried out to trace further the affinity between these two. From the very commencement of the study of this parasite it was found that, in order to get successful results, the inoculated plant, even if it be the original host, must be kept in an atmosphere saturated with moisture. Inoculated plants were, therefore, always kept in such an atmosphere as described on page 233. It may be noted that no such precautions were required with plants successfully inoculated by *Ph. parasitica*, and that the negative results of the inoculation of certain plants detailed below with the *Phytophthora* on castor have been obtained even when they had been tried under very moist conditions. Inoculations on living plants were in all cases made by means of zoospores from pure cultures.

The following table shows the results of various inoculation experiments :—

Name of host	Results of inoculation with <i>Phytophthora</i> on <i>Vinca</i>	Results of inoculation with <i>Phytophthora</i> on castor
<i>Clarkia elegans</i> . Seedlings in a pot ..	Positive	Positive
<i>Gilia nivalis</i> and mixed species. Seedlings in a pot.		
<i>Salpiglossus variabilis</i> and mixed species. Seedlings in a pot.		
<i>Schizanthus retusa</i> and mixed species. Seedlings in a pot.		
<i>Ricinus communis</i> . Seedlings in a pot ..		
<i>Syringa vulgaris</i> . Small plants. .. ..	Positive	Negative
<i>Vinca rosea</i> . Mature plants .. ..		
Fruits of <i>Vinca rosea</i> .. ..		

<sup>1</sup> Pethybridge, G. H. On the Rotting of Potato Tubers by a New Species of *Phytophthora* having a Method of Sexual Reproduction hitherto undescribed. *Sc. Proc. Roy. Dub. Soc.*, XIII (N. S.), No. 35, 1913.

Name of host	Results of inoculation with <i>Phytophthora</i> on <i>Vinca</i>	Results of inoculation with <i>Phytophthora</i> on castor
Fruits of <i>Ricinus communis</i> .. ..	Positive	Positive
<i>Petunia</i> sp. Seedlings in a pot .. ..	Positive	Negative
<i>Martynia diandra</i> . Mature plants		
These two hosts have been found in nature to be attacked by a <i>Phytophthora</i> .		
<i>Solanum melongena</i> . Young plants .. ..	Negative	Positive.
<i>Solanum tuberosum</i> . Young plants .. ..		
<i>Lycopersicum esculentum</i> . Young plants ..	Positive	Positive.
Living potato tubers (inoculated through wounds).	Positive (poor growth)	Positive (copious growth)
Sterilized corms of <i>Colocasia antiquorum</i> ..	Positive	Negative.
Sterilized potatoes .. ..	Negative	Positive.
Sterilized ants .. ..		

In the author's opinion, these differences and those found from the study of pure cultures are not enough to justify the making of a new species, of the *Phytophthora* on *Vinca rosea*. Cumulative evidence shows that it is only a biologic variety of *Phytophthora parasitica* Dast. on castor.

## SUMMARY.

1. A weak parasite belonging to the genus *Phytophthora* was found attacking *Vinca rosea* in May, 1913, under very wet climatic conditions.

2. Microscopic characters of this disease in *Vinca* are similar to those of *Ph. parasitica* Dast. on castor except that sporangia are borne on both the surfaces and that sporangiophores are smaller.

3. Asexual spores agree with those of *Ph. parasitica*; the chief differences are that resting conidia are smaller and zoospores produce as many as four germ-tubes while those of *Ph. parasitica* have not been observed to produce more than two.

4. The formation of oospores is identical with that of *Ph. parasitica*. The size of the oospore like that of the oogonium is influenced by the medium in which it grows. On certain media (Oat juice agar and Quaker-Oat agar) the measurements agree closely with those of *Ph. parasitica* from castor. From the few cases of the germination that have been observed it appears that the mode of germination is the same as that observed by Pethybridge in *Ph. erythrosepatica* Pethyb.

5. Inoculation experiments show that there are some points of difference between the *Phytophthora* on castor and that on *Vinca*. The latter is distinctly weaker in parasitism than the former. Some of the hosts are common to both, while some which were attacked by the *Vinca* parasite resisted infection by that from castor.

6. It is concluded that the fungus is not a distinct species but only a biologic strain of *Ph. parasitica* Dast.

# PUBLICATIONS OF THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA.

TO BE HAD FROM

THE OFFICE OF THE AGRICULTURAL ADVISER TO THE GOVERNMENT OF INDIA,  
PUSA, BIHAR;

and from the following Agents :-

- |  |  |
|--|--|
| (1) THACKER, SPINK & CO., CALCUTTA.            | (6) D. B. TARAPOREVALA, SONS & CO., BOMBAY.  |
| (2) W. NEWMAN & CO., CALCUTTA                  |  |
| (3) RAI M. C. SARKAR BAHADUR & SONS, CALCUTTA. | (7) THACKER & CO., LTD., BOMBAY.             |
| (4) HIGGINBOTHAMS, LTD., MADRAS.               | (8) SUNDER PANDURUNG, BOMBAY.                |
| (5) THOMPSON & CO., MADRAS.                    | (9) RAI SAHIB M. GULAB SINGH & SONS, LAHORE. |
| (10) MANAGER EDUCATIONAL BOOK DEPOT, NAGPUR.   |  |

Annual Report of the Imperial Department of Agriculture in India for the year 1904-05. Price, As. 12 or 1s. 2d. (*Out of print.*)

Report of the Imperial Department of Agriculture in India for the years 1905-06 and 1906-07. Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the years 1907-08. Price, As. 4 or 5d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1909-10. Price, As. 4 or 5d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1910-11. Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1911-12. Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1912-13. Price, As. 7 or 8d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1913-14. Price, As. 8 or 9d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1914-15. Price, As. 8 or 9d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the Imperial Cotton Specialist), for the year 1915-16. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the years 1907-09. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the year 1909-10. Price, As. 8 or 7d.

Report on the Progress of Agriculture in India for the year 1910-11. Price, As. 12 or 1s. 3d. (*Out of print.*)

Report on the Progress of Agriculture in India for the year 1911-12. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the year 1912-13. Price, As. 8 or 9d.

Report on the Progress of Agriculture in India for the year 1913-14. Price, As. 8 or 9d.

Report on the Progress of Agriculture in India for the year 1914-15. Price, As. 5 or 6d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 6th January 1905 and following days (with Appendices). Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 15th January 1906 and following days (with Appendices). Price, As. 12 or 1s. 2d.

Proceedings of the Board of Agriculture in India, held at Cawnpore on the 18th February 1907 and following days (with Appendices). Price, Rs. 1-2 or 1s. 6d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 17th February 1908 and following days (with Appendices). Price, As. 8 or 9d.

- Proceedings of the Board of Agriculture in India, held at Nagpur on the 15th February 1906 and following days (with Appendices). Price, As. 8 or 9d.
- Proceedings of the Board of Agriculture in India, held at Pusa on the 21st February 1910 and following days (with Appendices). Price, As. 8 or 9d.
- Proceedings of the Board of Agriculture in India, held at Pusa on the 20th November 1911 and following days (with Appendices). Price, As. 10 or 1s. (*Out of print.*)
- Proceedings of the Board of Agriculture in India, held at Coimbatore on the 8th December 1913 and following days (with Appendices). Price, R. 1-2 or 1s. 9d.
- Proceedings of the Board of Agriculture in India, held at Pusa on the 7th February 1916 and following days (with Appendices). Price, R. 1-2 or 1s. 9d.
- Proceedings of the Inter-Provincial Jute Conference, held at Calcutta from the 2nd to 4th August s of h (with Appendices). Price, As. 6 or 7d.
- Standard Curriculum for Provincial Agricultural Colleges as recommended by the Board of Agriculture, 1908. Price, As. 4 or 5d.
- The *Agricultural Journal of India*. A Quarterly Journal dealing with subjects connected with agricultural economics, field and garden crops, economic plants and fruits, soils, manures, methods of cultivation, irrigation, climatic conditions, insect pests, fungus diseases, co-operative credit, agricultural cattle, farm implements and other agricultural matters in India. Illustrations, including coloured plates, form a prominent feature of the Journal. It is edited by the Agricultural Adviser to the Government of India, with the assistance of the Staff of the Pusa Agricultural Research Institute. *Annual subscription*, Rs. 6 or Rs. 6d., including postage. *Single copy*, Rs. 2 or 3 shillings.

MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA are issued from time to time as matter is available, in separate series, such as Chemistry, Botany, Entomology, and the like.

#### BOTANICAL SERIES.

- Vol. I, No. I. Studies in Root-Parasitism. The Haustorium of *Santalum album*.—PART I.—Early Stages, up to Penetration, by C. A. BARBER, M.A., F.L.S. Price, R. 1. (*Out of print.*)  
PART II.—The Structure of the Mature Haustorium and the Inter-relations between Host and Parasite, by C. A. BARBER, M.A., F.L.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. II. Indian Wheat Rusts, by E. J. BUTLER, M.B., F.L.S.; and J. M. HAYMAN, D.V.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. III. Fungus Diseases of Sugarcane in Bengal, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. IV. *Gossypium obtusifolium*, Roxburgh, by I. H. BURKILL, M.A. Price, R. 1.
- Vol. I, No. V. An Account of the Genus *Pythium* and some *Chytridiaceae*, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 4-8. (*Out of print.*)
- Vol. I, No. VI. *Cephaeleuros virescens*, Kunze: The Red Rust of Tea, by HAROLD H. MANN, D.Sc., F.L.S.; and C. M. HUTCHINSON, B.A. Price, Rs. 4. (*Out of print.*)
- Vol. II, No. I. Some Diseases of Cereals caused by *Sclerospora graminicola*, by E. J. BUTLER, M.B., F.L.S. Price, R. 1-8.
- Vol. II, No. II. The Indian Cottons, by G. A. GAMMIE, F.L.S. Price, Rs. 7-8. (*Out of print.*)
- Vol. II, No. III. Note on a Toxic Substance excreted by the Roots of Plants, by F. FLETCHER, M.A., B.Sc. Price, R. 1-8.
- Vol. II, No. IV. Studies in Root-Parasitism. Part III.—The Haustorium of *Olax scandens*, by C. A. BARBER, M.A., F.L.S. Price, Rs. 2-8.
- Vol. II, No. V. Studies in Root-Parasitism. Part IV.—The Haustorium of *Cassia Rhedii*, by C. A. BARBER, M.A., F.L.S. Price, Rs. 2-8. (*Out of print.*)
- Vol. II, No. VI. Some Experiments in the Hybridizing of Indian Cottons, by P. F. Fyson, B.A., F.L.S. Price, R. 1-8. (*Out of print.*)
- Vol. II, No. VII. The Varietal Characters of Indian Wheats, by ALBERT HOWARD, M.A., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1. (*Out of print.*)
- Vol. II, No. VIII. The Mulberry Disease caused by *Coryneum mori*, Nom., in Kashmir, with Notes on other Mulberry Diseases, by E. J. BUTLER, M.B., F.L.S. Price, R. 1-8. (*Out of print.*)
- Vol. II, No. IX. The Wilt Disease of Pigeon-Pea and the Parasitism of *Neocosmospora vasinfecta*, Smith, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 3.

# BOTANICAL SERIES—*contd.*

- Vol. III, No. I. Studies in Indian Tobaccos, No. 1.—The Types of *Nicotiana rustica*, L., Yellow Flowered Tobacco, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 4.
- Vol. III, No. II. Studies in Indian Tobaccos, No. 2.—The Types of *Nicotiana tabacum*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 9.
- Vol. III, No. III. Studies in Indian Fibre Plants, No. 1.—On two Varieties of *Sann. Crotalaria juncea*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1.
- Vol. III, No. IV. The Influence of the Environment on the Milling and Baking Qualities of Wheat in India, No. 1.—The Experiments of 1907-08 and 1908-09, by ALBERT HOWARD, M.A., F.L.S.; H. MARTIN LEAKE, M.A., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1-8.
- Vol. III, No. V. The Bud-Rot of Palms in India, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 2.
- Vol. III, No. VI. The Economic Significance of Natural Cross-fertilization in India, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. Price, Rs. 4-8.
- Vol. IV, No. I. Millets of the Genus *Setaria* in the Bombay Presidency and Sind, by G. A. GAMMIE, F.L.S. Price, R. 1.
- Vol. IV, No. II. Studies in Indian Fibre Plants, No. 2.—On Some New Varieties of *Hibiscus cannabinus*, L., and *Hibiscus Sabdarifa*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 3.
- Vol. IV, No. III. Notes on the Incidence and Effect of Sterility and of Cross-fertilization in the Indian Cottons, by H. MARTIN LEAKE, M.A.; and RAM PRASAD. Price, R. 1.
- Vol. IV, No. IV. The Inheritance of Red Colour and the regularity of Self-fertilization in *Corechorus capsularis*, Linn., the common Jute Plant, by R. S. FINLOW, B.Sc.; and I. H. BURKILL, M.A., F.L.S., Price, R. 1.
- Vol. IV, No. V. Observations on Certain Extra-Indian Asiatic Cottons, by H. MARTIN LEAKE, M.A., and RAM PRASAD. Price, R. 1-8.
- Vol. IV, No. VI. The Morphology and Parasitism of *Rhizoctonia*, by F. J. F. SHAW, B.Sc., A.R.C.S., F.L.S. Price, Rs. 2.
- Vol. V, No. I. On the Inheritance of some Characters in Wheat—I, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1.
- Vol. V, No. II. The Influence of the Environment on the Milling and Baking Qualities of Wheat in India, No. 2.—The Experiments of 1909-10 and 1910-11, by ALBERT HOWARD, M.A., F.L.S.; H. MARTIN LEAKE, M.A., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1.
- Vol. V, No. III. The Varieties of Soy Beans found in Bengal, Bihar and Orissa, and their Commercial Possibilities, by E. J. WOODHOUSE, M.A. F.L.S.; and C. SOMERS-TAYLOR, B.A. Price, Rs. 2.
- Vol. V, No. IV. On *Phytophthora parasitica*, nov. spec. A new Disease of the Castor Oil Plant, by J. F. DASTUR, B.Sc. Price, Rs. 2.
- Vol. V, No. V. Studies in *Peronosporacea*, by E. J. BUTLER, M.B., F.L.S.; and G. S. KULKARNI, L.A.G. Price, Rs. 2.
- Vol. VI, No. I. Notes on Pollination and Cross-fertilization in the common Rice Plant, *Oryza sativa*, Linn., by G. P. HECTOR, M.A., B.Sc. Price, R. 1.
- Vol. VI, No. II. A Sclerotial Disease of Rice, by F. J. F. SHAW, B.Sc., A.R.C.S., F.L.S. Price, R. 1.
- Vol. VI, No. III. Studies in Indian Tobaccos, No. 3.—The Inheritance of Characters in *Nicotiana tabacum*, L., by GABRIELLE L. C. HOWARD, M.A. Price, Rs. 3.
- Vol. VI, No. IV. Studies in Indian Cottons, Part I.—The Vegetative Characters, by H. MARTIN LEAKE, M.A., F.L.S.; and RAM PRASAD. Price, Rs. 3-8.
- Vol. VI, No. V. Red Rot of Sugarcane, by E. J. BUTLER, M.B., F.L.S.; and ABDUL HAFIZ KHAN. Price, R. 1.
- Vol. VI, No. VI. Some New Sugarcane Diseases, by E. J. BUTLER, M.B., F.L.S.; and ABDUL HAFIZ KHAN. Price, Rs. 2.
- Vol. VI, No. VII. A Preliminary Note on the Classification of Rice in the Central Provinces, by R. J. D. GRAHAM, M.A., B.Sc. Price, R. 1-8.
- Vol. VI, No. VIII. The Influence of the Environment on the Milling and Baking Qualities of Wheat in India, No. 3.—The Experiments of 1911-12, by ALBERT HOWARD, C.I.E., M.A.; H. MARTIN LEAKE, M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1 or 1s. 6d.



### BOTANICAL SERIES—*concl.*

- Vol. VII, No. I. Studies in Indian Sugarcanes, No. 1, Punjab canes, by C. A. BARBER, sc.d. Price, Rs. 3-8 or 5s. 6d.
- Vol. VII, No. II. The Distinguishing Characters of Sugarcanes cultivated at Sabour, by E. J. WOODHOUSE, M.A.; and S. K. BASU, M.A.; with a Note on the Chemical Characters by C. SOMERS TAYLOR, B.A. Price, R. 1-8 or 2s. 6d.
- Vol. VII, No. III. The Potato Blight in India, by J. F. DASTUR, B.Sc. Price, R. 1 or 1s. 6d.
- Vol. VII, No. IV. The Genus *Rhizoctonia* in India, by F. J. F. SHAW, B.Sc.; and S. L. AJREKAR, B.A., Dip. Agr. (Cantab.) Price, R. 1 or 1s. 6d.
- Vol. VII, No. V. Experiments on the Physiology of Indigo-yielding Glucosides, by F. R. PARNELL, B.A. Price, R. 1 or 1s. 6d.
- Vol. VII, No. VI. Some Varieties of Indian Gram (*Cicer arietinum*, L.), by ALBERT HOWARD, C.E., M.A.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. Price, R. 1 or 1s. 6d.
- Vol. VII, No. VII. Studies in Indian Oil-Seeds, No. 1, Safflower and Mustard, by ALBERT HOWARD, C.E., M.A.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. Price, R. 1-8 or 2s. 6d.
- Vol. VII, No. VIII. On the Inheritance of some Characters in Wheat—II, by ALBERT HOWARD, C.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, R. 1-8 or 2s. 6d.
- Vol. VIII, No. I. The Wheats of Baluchistan, Khorasan and the Kurram Valley, by GABRIELLE L. C. HOWARD, M.A. Price, R. 1-12 or 2s. 6d.
- Vol. VIII, No. II. Observations on the Inheritance of Anthocyan Pigment in Paddy Varieties, by G. P. HECTOR, M.A., B.Sc. Price, R. 1 or 1s. 6d.
- Vol. VIII, No. III. Studies in Indian Sugarcanes, No. 2, Sugarcane Seedlings, including some correlations between Morphological Characters and Sucrose in the juice, by C. A. BARBER, Sc.D. Price, Rs. 3 or 4s. 3d.
- Vol. VIII, No. IV. Pollination and Cross fertilization in the *Juar* plant, by R. J. D. GRAHAM, M.A., B.Sc. Price, R. 1 or 1s. 6d.
- Vol. VIII, No. V. *Phytophthora* sp. on *Hevea Brasiliensis*, by J. F. DASTUR, B.Sc. Price, As. 12 or 1s.
- Vol. VIII, No. VI. *Phytophthora* on *Vinca rosea*, by J. F. DASTUR, B.Sc. Price, As. 8 or 9 d.

### CHEMICAL SERIES.

- Vol. I, No. I. The Composition of Indian Rain and Dew, by J. WALTER LEATHER, Ph.D., F.I.C. Price, R. 1.
- Vol. I, No. II. The Composition of the Oil-Seeds of India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, R. 1. (*Out of print.*)
- Vol. I, No. III. The Pot-Culture House at the Agricultural Research Institute, Pusa, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3.
- Vol. I, No. IV. Experiments on the Availability of Phosphates and Potash in Soils, by J. WALTER LEATHER, Ph.D., F.I.C. Price, R. 1-8.
- Vol. I, No. V. The Construction of Drain Gauges at Pusa, by M. H. ARNOTT, M.INST.C.E., with a Preface by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. VI. The Loss of Water from Soil during Dry Weather, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 2. (*Out of print.*)
- Vol. I, No. VII. The System Water, Calcium Carbonate, Carbonic Acid, by J. WALTER LEATHER, Ph.D., F.I.C.; and JATINDRA NATH SEN, M.A. Price, R. 1.
- Vol. I, No. VIII. Water Requirements of Crops in India—I, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3.
- Vol. I, No. IX. The Nature of the Colour of Black Cotton Soil, by H. E. ANNETT, B.Sc. Price, R. 1.
- Vol. I, No. X. Water Requirements of Crops in India,—II, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 2-8.
- Vol. II, No. I. The Composition of the Milk of some Breeds of Indian Cows and Buffaloes and its Variations, Part I. The Milk of some Breeds of Indian Cows, by A. A. MEGGITT, B.Sc.; and HAROLD H. MANN, D.Sc. Price, R. 1-8.
- Vol. II, No. II. Records of Drainage in India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, R. 1.
- Vol. II, No. III. The *Rab* System of Rice Cultivation in Western India, by HAROLD H. MANN, D.Sc.; N. V. JOSHI, B.A., B.Sc., L.A.G.; and N. V. KANITKAR, B.A. Price, R. 1.
- Vol. II, No. IV. The Composition of the Milk of some Breeds of Indian Cows and Buffaloes and its Variations, Part I. The Milk of some Breeds of Indian Buffaloes, by A. A. MEGGITT, B.Sc.; and HAROLD H. MANN, D.Sc. Price, R. 1-8.
- Vol. II, No. V. A contribution to the knowledge of the Black Cotton Soils of India, by W. H. HARRISON, M.Sc.; and M. R. RAMSWAMY SIVAN, B.A. Price, R. 1.
- Vol. II, No. VI. The Date Sugar Industry in Bengal, an Investigation into its Chemistry and Agriculture, by H. E. ANNETT, B.Sc., assisted by G. K. LELR, L.A.G.; and BHAILAL M. AMIN, B.A. Price, Rs. 3.

### CHEMICAL SERIES—*concd.*

- Vol. III, No. I. Evaporation from a Plain Water Surface, by J. WALTER LEATHER, Ph.D., F.I.C. Price, R. 1.
- Vol. III, No. II. Studies in the Chemistry and Physiology of the Leaves of the Betel-vine (*Piper betle*) and of the Commercial Bleaching of Betel-vine Leaves. Part I, by HAROLD H. MANN, D.Sc.; D. L. SAHASRABUDDHE, B.Sc., L.A.G.; and V. G. PATWARDHAN, B.A.G. Price, R. 1-8.
- Vol. III, No. III. The Gases of Swamp Rice Soils. Part I. Their Composition and Relationship to the Crop, by W. H. HARRISON, M.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, R. 1-8.
- Vol. III, No. IV. The Experimental Error in Sampling Sugarcane, by J. WALTER LEATHER, V.D., Ph.D., F.I.C. Price, R. 1.
- Vol. III, No. V. The Fractional Liquefaction of Rice Starch, by F. J. WARTH, M.Sc.; and D. B. DARABSETT, B.Sc. Price, R. 1.
- Vol. III, No. VI. The Yield and Composition of the Milk of the Montgomery herd at Pusa and Errors in Milk Tests, by J. WALTER LEATHER, V.D., Ph.D., F.I.C.; and A. C. DOBBS. Price, R. 1 or 1s. 6d.
- Vol. III, No. VII. The System Potassium Nitrate, Sodium Chloride, Water, by J. WALTER LEATHER, V.D. Ph.D., F.I.C.; and JATINDRA NATH MUKERJEE, B.A., B.Sc. Price, R. 1 or 1s. 6d.
- Vol. III, No. VIII. The Systems—(A) Water, Magnesium Carbonate, and Carbonic Acid, (B) Water, Calcium Carbonate, Magnesium Carbonate, and Carbonic Acid, by J. WALTER LEATHER, V.D., Ph.D., F.I.C.; and JATINDRA NATH SEN, M.A. Price, R. 1 or 1s. 6d.
- Vol. III, No. IX. Studies of an Acid Soil in Assam, by A. A. MEGGITT, B.Sc. Price, R. 1-8 or 2s. 6d.
- Vol. IV, No. I. The Gases of Swamp Rice Soils. Part II. Their Utilization for the Aeration of the Roots of the Crop, by W. H. HARRISON, M.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, R. 1 or 1s. 6d.
- Vol. IV, No. II. Soil Temperatures, by J. WALTER LEATHER, V.D., F.I.C. Price, Rs. 2 or 3s.
- Vol. IV, No. III. Soil Gases, by J. WALTER LEATHER, V.D., F.I.C. Price, R. 1-8 or 2s. 6d.
- Vol. IV, No. IV. The Gases of Swamp Rice Soils. Part III. A Hydrogen-oxidizing Bacterium from these Soils, by W. H. HARRISON, D.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, As. 12 or 1s. 6d.
- Vol. IV, No. V. Some Factors affecting the Cooking of Dhol (*Cajanus indicus*), by B. VISWANATH; T. LAKSHMANA ROW, B.A.; and P. A. RAGHUNATH-SWAMI AYYANGAR, D.A. Price, R. 1 or 1s. 6d.
- Vol. IV, No. VI. The Insects attacking Stored Wheat in the Punjab and the Methods of Combating them (including a Chapter on the Chemistry of Respiration), by J. H. BARNES, B.Sc., F.I.C.; and A. J. GROVE, M.Sc. Price, Rs. 3-8 or 5s. 6d.
- Vol. IV, No. VII. Studies in the Chemistry and Physiology of the Leaves of the Betel-vine (*Piper betle*) and of the Commercial Bleaching of Betel-vine Leaves. Part II, by HAROLD H. MANN, D.Sc.; and V. G. PATWARDHAN, B.A.G. Price, R. 1 or 1s. 6d.
- Vol. V, No. I. The Gases of Swamp Rice Soils. Part IV. The Source of the Gaseous Soil Nitrogen, by W. H. HARRISON, D.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, Rs. 2 or 3s. 6d.

### ENTOMOLOGICAL SERIES.

- Vol. I, No. I. The Bombay Locust (*Acridium succinatum*, Linn.) A Report on the Investigations of 1903-04, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2-8.
- Vol. I, No. II. The more Important Insects injurious to Indian Agriculture, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. III. The Indian Surface Caterpillars of the Genus *Agrotis*, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and C. C. GHOSH, B.A. Price, R. 1-8. (*Out of print.*)
- Vol. I, No. IV. Individual and Seasonal Variations in *Helopeltis theivora*, Waterhouse, with description of a new species of *Helopeltis*, by HAROLD H. MANN, D.Sc. Price, R. 1-8.
- Vol. I, No. V. The *Coccids* attacking the Tea Plant in India and Ceylon, by E. E. GREEN, F.E.S., F.Z.S.; and HAROLD H. MANN, D.Sc. Price, R. 1. (*Out of print.*)
- Vol. I, No. VI. The Mustard Sawfly (*Athalia proxima*, Klug.), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and C. C. GHOSH, B.A. Price, R. 1. (*Out of print.*)
- Vol. II, No. I. The Rice Bug (*Leptocoris varicornis*, Fabr.), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1.
- Vol. II, No. II. Remarks on Indian Scale Insects (*Coccids*), Part III, by E. E. GREEN, F.E.S., F.Z.S. Price, R. 1-8.

### ENTOMOLOGICAL SERIES—*concl.*

- Vol. II, No. III. The Red Cotton Bug (*Dysdercus cingulatus*, Fabr.), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1. (*Out of print.*)
- Vol. II, No. IV. The Castor Semi-Looper (*Ophiura melicerta*, Dr.), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2. (*Out of print.*)
- Vol. II, No. V. The Tobacco Caterpillar (*Prodenia litloralis*), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1-8. (*Out of print.*)
- Vol. II, No. VI. The Cotton Leaf-Roller (*Sylepta derogata*, Fabr.), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1-8. (*Out of print.*)
- Vol. II, No. VII. Notes on Indian Scale Insects (*Coccidae*), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1-8. (*Out of print.*)
- Vol. II, No. VIII. Life-Histories of Indian Insects—I. (*Coleoptera*), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2.
- Vol. II, No. IX. Life-Histories of Indian Insects—II. Some Aquatic *Rhynchota* and *Coleoptera*, by D. NOWROJEE, B.A. Price, R. 1-8.
- Vol. II, No. X. Life-Histories of Indian Insects—III. The Rhinoceros Beetle (*Oryctes rhinoceros*) and the Red or Palm Weevil (*Rhynchophorus ferrugineus*), by C. C. GHOSH, B.A. Price, Rs. 2.
- Vol. III. The Food of Birds in India, by C. W. MASON, M.S.E.A.C., edited by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 7-8.
- Vol. IV, No. I. Eri Silk, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and C. C. GHOSH, B.A. Price, Rs. 3.
- Vol. IV, No. II. Tetriginæ (*Acridinæ*) in the Agricultural Research Institute, Pusa, Bihar, with descriptions of new species, by J. L. HANCOCK, F.E.S. Price, R. 1.
- Vol. IV, No. III. The Big Brown Cricket (*Brachytrypes achatinus*, Stoll), by C. C. GHOSH, B.A. Price, R. 1.
- Vol. IV, No. IV. Life-Histories of Indian Insects—IV. (*Hymenoptera*), by G. R. DUTT, B.A. Price, Rs. 2.
- Vol. IV, No. V. Inquiry into the Insecticidal Action of some Mineral and other Compounds on Caterpillars, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and R. S. FINLOW, B.Sc. Price, R. 1-8.
- Vol. IV, No. VI. The "Payla" disease of Indigo, by A. J. GROVE, M.Sc.; and C. C. GHOSH, B.A. Price, R. 1-8 or 2s. 6d.
- Vol. V, No. I. Life-Histories of Indian Insects—V. *Lepidoptera* (Butterflies), by C. C. GHOSH, B.A. Price, Rs. 2-8 or 3s. 9d.
- Vol. V, No. II. Indian Sugarcane Leaf-hopper (*Pyrilla aberrans*, Kirby), by C. S. MISRA, B.A. (*In the press.*)

### BACTERIOLOGICAL SERIES.

- Vol. I, No. I. Studies in Bacteriological Analysis of Indian Soils, No. 1, 1910-11, by C. M. HUTCHINSON, B.A. Price, Rs. 2-8.
- Vol. I, No. II. Rangpur Tobacco Wilt, by C. M. HUTCHINSON, B.A. Price, Rs. 2.
- Vol. I, No. III. A New Nitrite forming Organism, by N. V. JOSHI, B.A., B.Sc., L.Ag. Price, R. 1 or 1s. 6d.
- Vol. I, No. IV. Azotobacter and Nitrogen Fixation in Indian Soils, by J. H. WALTON, B.A., B.Sc. Price, R. 1 or 1s. 6d.
- Vol. I, No. V. Bacterial Rot of Stored Potato Tubers, by C. M. HUTCHINSON and N. V. JOSHI, B.A., B.Sc., L.Ag. Price, R. 1 or 1s. 6d.
- Vol. I, No. VI. Bakhar—The Indian Rice Beer Ferment, by C. M. HUTCHINSON and C. S. RAM AYYAR, B.A. Price, R. 1 or 1s. 6d.

### VETERINARY SERIES.

- Vol. I, No. I. Anaphylaxis in the Larger Animals, by J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, Rs. 2.
- Vol. I, No. II. Salvarsan in the Treatment of Surra in Horses, Dogs, and Rabbits, by J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, R. 1-4.
- Vol. I, No. III. Some more Successful Experiments on the Treatment of Surra in the Camel with Recommendations for Systematic Treatment, by A. S. LEESSE, M.R.C.V.S. Price, R. 1.
- Vol. I, No. IV. On the Immune Bodies occurring in Anti-Rinderpest Serum and on the Variations occurring in the Serum Proteins of Animals during Rinderpest, and during Immunization and Hyper-immunization, by P. HARTLEY, D.Sc. Price, Rs. 2.

# VETERINARY SERIES—*concl'd.*

- Vol. II, No. I. Some cases of Surra treated in the Field and in the Laboratory during the Autumn of 1911, by Major J. D. E. HOLMES, M.A., D.Sc., Price, R. 1.
- Vol. II, No. II. Rinderpest: Further Investigations on Questions connected with the Economical Production of Anti-serum, by J. D. E. HOLMES, M.A., D.Sc. Price, R. 1.
- ol. II, No. III. The Curative Treatment of Hæmorrhagic Septicæmia in Cattle by the administration of Iodine and other notes on Chemiotherapy in Rinderpest and Hæmorrhagic Septicæmia, by J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, R. 1 or 1s. 6d.
- Vol. II, No. IV. The Vitality of the Hæmorrhagic Septicæmia Organism outside the body, by J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, R. 1 or 1s. 6d.
- Vol. II, No. V. Bursati, by J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, R. 1-8 or 2s. 3d.
- Vol. II, No. VI. Experiments on the treatment of Surra in Camels, by H. E. CROSS, M.R.C.V.S., D.V.H., A.Sc. Price, R. 1 or 1s. 6d.
- Vol. II, No. VII. Anthrax—Some Experiments on the Immunizing Effect of the Simultaneous Injection of an Anthrax attenuated virus and an Anthrax Anti-serum, by J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, R. 1 or 1s. 6d.

## BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE, PUSA.

- No. 1. Notes on Cotton in Bihar in 1904, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, As. 4 or 6d.
- No. 2. An Outbreak of Cotton Pests in the Punjab, 1905, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, As. 6 or 7d.
- No. 3. The Extension of Jute Cultivation in India, by R. S. FINLOW, B.Sc. Price, As. 12 or 1s. 2d. (*Out of print.*)
- No. 4. First Report on the Fruit Experiments at Pusa, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 6 or 6d.
- No. 5. Report on Trials of the South African Loenst Fungus in India, by E. J. BUTLER, M.B., F.L.S.; and H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, As. 2 or 3d.
- No. 6. The Ticks Infesting Domesticated Animals in India, by C. WARBURTON, M.A. Price, As. 4 or 6d. (*Out of print.*)
- No. 7. A Preliminary Account of the Biting Flies of India, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, R. 1 or 1s. 6d. (*Out of print.*)
- No. 8. Official and Recommended Methods for use in Chemical Laboratories of the Departments of Agriculture in India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, As. 4 or 6d.
- No. 9. Report on Coconut Palm Disease in Travancore, by E. J. BUTLER, M.B., F.L.S. Price, As. 6 or 6d. (*Out of print.*)
- No. 10. Treatment and Observation of Crop Pests on the Pusa Farm, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and C. S. MISRA, B.A. Price, As. 6 or 7d. (*Out of print.*)
- No. 11. On Flax Dodder, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 6d. (*Out of print.*)
- No. 12. The Making and Care of Lawns in India, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 6d. (*Out of print.*)
- No. 13. Sugarcane at the Partabgarh Experimental Station, by G. CLARKE, F.I.C.; and Khan Bahadur S. M. HADI, M.R.A.C., M.R.A.S. (Assisted by S. C. BANERJEE and NAIB HUSSAIN.) Price, As. 6 or 6d.
- No. 14. The Milling and Baking Qualities of Indian Wheats, No. 1, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 6d.
- No. 15. Note on the Extension of Cultivation of Fibre Plants in India. Price, As. 6 or 8d.
- No. 16. Second Report on the Fruit Experiments at Pusa, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 6 or 8d.
- No. 17. The Milling and Baking Qualities of Indian Wheats, No. 2. Some new Pusa Selections tested in 1909, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 6 or 8d.
- No. 18. Report on the Outbreak of Blister Blight on Tea in the Darjeeling District in 1908-09, by W. McRAE, M.A., B.Sc. Price, R. 1 or 1s. 6d.

BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE,  
PUSA—*contd.*

- No. 19. List of Names used in India for Common Insects, compiled in the Laboratory of the Imperial Entomologist, Pusa. Price, As. 12 or 1s. 2d.
- No. 20. Memorandum on Indian Wheat for the British Market (Read before the Incorporated National Association of British and Irish Millers), by Sir JAMES WILSON, K.C.S.I. Price, As. 4 or 6d.
- No. 21. Memorandum regarding Leading Eucalypts suitable for India, by F. BOOTH-TUCKER. Price, As. 4 or 5d. (*Out of print.*)
- No. 22. The Milling and Baking Qualities of Indian Wheats, No. 3. Some new Pusa Hybrids tested in 1910, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 7 or 8d.
- No. 23. Insecticides—Mixtures and Recipes for use against Insects in the Field, the Orchard, the Garden, and the House, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Second Edition, Revised, with many additions, by T. BAINBRIDGE FLETCHER, F.E.S., F.Z.S. Price, As. 12 or 1s. 2d.
- No. 24. The Indian Saltpetre Industry, by J. WALTER LEATHER, PH.D., F.L.C.; and J. N. MCKERJEL, B.A., B.Sc. Price, As. 8 or 9d.
- No. 25. Report on the Flax Experiments conducted at Dooriah during the year 1910-11, by E. M. VANDEKERKHOVE. Price, As. 6 or 7d.
- No. 26. Note on the Present Position of Cotton Investigation in India, by BERNARD COVENTRY, C.I.E. Price, As. 2 or 3d.
- No. 27. Experiments on the Cultivation of Sugarcane at the Patilbagah Experiment Station, 1909-11, by G. CLARKE, F.L.C.; H. E. ANNETT, B.Sc.; and SYED ZAMIN HUSSAIN, B.A. (Assisted by S. C. BANERJEE and NAIB HUSSAIN.) Price, As. 5 or 6d.
- No. 28. The Cultivation of Lac (*Tachardila lacca*, Kerr.), in the Plains of India by C. S. MISRA, B.A. (Revised Edition.) Price, As. 8 or 9d.
- No. 29. Directions for the Cultivation of Eri Silk. (Revised Edition.) Price, As. 3 or 4d.
- No. 30. Report on the Flax Experiments conducted at Dooriah during the year 1911-12, by E. M. VANDEKERKHOVE. Price, As. 1 6 or 2d.
- No. 31. Wheat Experiments on the Botanical Area, Cawnpore, and their bearing on Wheat Cultivation in the United Provinces, by H. MARTIN LEAKE, M.A., F.L.S.; and RAMPRASAD. Price, As. 3 or 4d.
- No. 32. A Note on some Interesting Results following the Internal Administration of Arsenic in Canker and other Diseases of the Feet in Horses, by J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 2 or 3d.
- No. 33. Some Aspects of the Agricultural Development of Bihar, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 5d.
- No. 34. Diseases of Rice, by E. J. BUTLER, M.B., F.L.S. Price, As. 8 or 9d.
- No. 35. Report on the Flax Experiments conducted at Dooriah during the year 1912-13, by E. M. VANDEKERKHOVE. Price, As. 3 or 4d.
- No. 36. Note on the M'Fadyean Staining Reaction for Anthrax Bacilli, by J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 4 or 5d.
- No. 37. Notes on Experiments with Sugarcane at Sabour, by C. SOMERS TAYLOR, B.A. Price, As. 2 or 3d.
- No. 38. Disintegration of Rice Grains by means of Alkali, by F. J. WARTH, M.Sc.; and D. D. DARABSETT, B.Sc. Price, As. 6 or 7d.
- No. 39. Instructions for rearing Mulberry Silkworms, by M. N. DE. Second (Revised Edition.) Price, As. 8 or 9d.
- No. 40. Green-Manuring Experiment, 1912-13, by C. M. HUTCHINSON, B.A.; and S. MILLIGAN, M.A., B.Sc. Price, As. 4 or 5d.
- No. 41. The use of Sweet Jowar (*Sorghum* sp.) as a source of Commercial Sugar or as Fodder and the variation in Composition of the crop during growth, by H. E. ANNETT, B.Sc., F.L.C. Price, As. 2 or 3d.
- No. 42. Notes on Cane Crushing in the United Provinces, by G. CLARKE, F.L.C.; NAIB HUSSAIN and S. C. BANERJEE, assisted by LAKSHMI SHANKAR. Price, As. 2 or 3d.
- No. 43. A Note on the Effect of Heat on the Rinderpest Immune Bodies, by J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, As. 2 or 3d.
- No. 44. How to Improve Silk-Reeling in Bengal, by M. N. DE. Price, As. 4 or 5d.
- No. 45. The Acid Secretion of the Gram Plant (*Cicer arietinum*), by D. L. SAHASKRUPDHRE, B.Sc., L.A.G. Price, As. 2 or 3d.
- No. 46. Bee-Keeping, by C. C. GHOSH, B.A. Price, As. 14 or 1s. 4d.
- No. 47. Notes on Sugar Machinery and Manufacture in Northern India, 1914, by PETER ABEL. Price, As. 5 or 6d.

BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE,  
PUSA—*continued*.

- No. 48. First Report on the Experiments carried out at Pusa to improve the Mulberry Silk Industry, compiled under the direction of the Imperial Entomologist, by M. N. DE. Price, As. 6 or 7d.
- No. 49. The Experimental Error in Field Trials with Sugarcane and the effect on this error of various methods of sampling, by H. E. ANNETT, B.Sc., F.I.C. Price, As. 3 or 4d.
- No. 50. The Improvement of Tobacco Cultivation in Bihar, by ALBERT HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 51. First Report on the Improvement of Indigo in Bihar with notes on Drainage and on Green Manuring by ALBERT HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 52. Soil Ventilation, by ALBERT HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. (Second Edition.) Price, As. 8 or 9d.
- No. 53. Soil Erosion and Surface Drainage, by ALBERT HOWARD, C.I.E., M.A. (Second Edition.) Price, As. 8 or 9d.
- No. 54. Second Report on the Improvement of Indigo in Bihar, by ALBERT HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 2 or 3d.
- No. 55. The Manufacture of Jaggery in South India, by A. CHATTERTON, C.I.E. Price, As. 4 or 5d.
- No. 56. Green Manuring in India, by A. C. DOBBS. Price, As. 6 or 7d.
- No. 57. The Detection of Added Water in Milk in India, by J. WALTER LEATHER, V.D., F.I.C. Price, As. 2 or 3d.
- No. 58. *Calocoris angustatus*, Leth., by E. BALLARD, B.A., F.E.S. Price, As. 4 or 5d.
- No. 59. One hundred Notes on Indian Insects, by T. BAINBRIGGE FLETCHER, F.L.S., F.E.S., F.Z.S. Price, As. 8 or 9d.
- No. 60. A comparison of the "Defibrination" and "Oxalate" methods of serum preparation as applied to Hemorrhagic Septicemia and Anthrax Sera, together with some analyses of Buffalo and Hill Bull blood, by R. V. NORRIS, M.Sc., D.Sc. Price, As. 3 or 4d.
- No. 61. Soil Aeration in Agriculture, by ALBERT HOWARD, C.I.E., M.A. Price, As. 4 or 5d.
- No. 62. A Preliminary Chemical Study of the Rices of Bihar and Orissa, by JATINDRA NATH SEN, M.A., F.C.S. Price, As. 4 or 5d.
- No. 63. A Modified Method of Green-Manuring, by C. M. HUTCHINSON, B.A. Price, As. 2 or 3d.
- No. 64. Rinderpest—Preparation of Anti-serum, by A.W. SHILSTON, M.R.C.V.S. (*In the press.*)
- No. 65. A Study in the Assimilation of Nutrients by the Rice Plant, by JATINDRA NATH SEN, M.A., F.C.S. Price, As. 2 or 3d.
- No. 66. Berseem as a new fodder crop for India, by G. S. HENDERSON, N.D.A., N.D.D. Price, As. 3 or 4d.
- No. 67. Third Report on the Improvement of Indigo in Bihar, by ALBERT HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 68. Saltpetre—Its origin and extraction in India, by C. M. HUTCHINSON, B.A. (*In the press.*)

BOOKS.

- "Indian Insect Pests," by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1-8. (*Out of print.*)
- "Indian Insect Life," by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and F. M. HOWLETT, B.A. 786 pp. Price, Rs. 20 or 30s. (*Out of print.*)
- "Wheat in India," by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. 288 pp. Price, Rs. 5 or 7s. 6d.
- "A description of the Imperial Bacteriological Laboratory, Muktesar : Its Work and Products," by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 8 or 9d.
- "Agriculture in India," by JAMES MACKENNA, M.A., L.C.S. Price, As. 4 or 5d.
- "Some Diseases of Cattle in India, 1916." A hand-book for stock-owners. Price, As. 8 or 9d.









